

Qualifiers for Rapid Decision Term Through Table D

If your client can answer "YES" to these simple questions...

- You are a US citizen or have permanent resident status (green card)
- You have a valid US Driver's License and a good driving record
- You are not disabled or receiving disability benefits
- You have not been rated or denied coverage by another life company (5 years)

And answer these questions "NO"...

In the past 10 years have you been diagnosed or treated for...

- AIDS, ARC or HIV
- Alzheimer's Disease, Dementia or Memory Loss
- Amyotrophic Lateral Sclerosis (ALS)
- Anemia or Blood/Platelet Disorder unless iron deficiency
- Aneurysm
- Angina, Cardiomyopathy or Congestive Heart Failure
- Anxiety or Depression on more than 2 medications or prescribed by psychiatrist, Suicide Attempt
- Aortic Insufficiency/Stenosis
- Asthma on more than 2 medications or steroids or smoker
- Blockage or Narrowing of the Arteries (Arteriosclerosis), CAD
- Buerger's Disease
- Cancer, Leukemia
- Cerebral Palsy or Cystic Fibrosis
- Cholesterol on more than 3 medications
- Connective Tissue Disorder, i.e. Lupus or Scleroderma
- Chronic Pain using narcotic medications on a daily basis
- Crohn's Disease—no exacerbation in over 2 years and over age 25
- Diabetes—insulin dependent or under age 30
- Emphysema or Chronic Obstructive Pulmonary Disease (COPD)
- Heart Attack
- Heart Murmur, Irregular Heartbeat or Abnormal Heart Rhythm
- Heart or Vascular Disorder
- Hemophilia
- Hodgkins' Disease
- Hypertension on more than 3 medications
- Hyperthyroid
- Kidney disease
- Liver Disease, i.e. Hepatitis, Cirrhosis
- Mentally Challenged or Down's Syndrome
- Muscular Atrophy, Multiple Sclerosis or Paralysis, Muscular Dystrophy
- Other Intestinal Diseases
- Pancreatitis—other than acute attack over 12 months ago
- Parkinson's Disease
- Rheumatoid Arthritis—with disability or steroid use
- Seizures—grand mal
- Sleep Apnea and under age 50
- Stroke or Multiple TIAs/Mini-Stroke
- Ulcerative Colitis—no attack in 5 years

And answer these questions "NO"...

- Used controlled substances—none in past 4 years
- Been treated or advised to seek treatment for drug use—none in past 4 years
- Been treated or advised to seek treatment for alcohol use—none in past 5 years
- Been advised to have any tests, treatment, surgery, etc. not yet completed
- Been a patient in a dependency program or halfway house in past 5 years
- Been convicted of a felony in past 5 years
- Been convicted of driving while under the influence of alcohol or drugs in past 2 years
- Currently on probation

And fit within these Build Limits

Height	Min.	Select	Standard	Table B	Table D
4' 9	76	155	188	193	202
4' 10	79	160	195	200	209
4' 11	82	165	202	207	216
5' 0	84	170	208	214	224
5' 1	87	175	216	221	231
5' 2	90	180	223	228	239
5' 3	93	186	230	236	247
5' 4	96	192	237	243	255
5' 5	99	198	245	251	263
5' 6	102	204	252	259	271
5' 7	105	210	260	273	286
5' 8	109	216	268	275	288
5' 9	112	223	276	283	296
5' 10	115	229	284	291	305
5' 11	118	236	292	300	314
6' 0	122	243	301	308	323
6' 1	125	249	309	317	332
6' 2	129	256	318	325	341
6' 3	132	263	326	334	350
6' 4	136	270	335	343	360
6' 5	139	277	344	352	369
6' 6	143	285	353	362	379
6' 7	146	292	362	371	389
6' 8	150	300	371	381	399

Issue Limits

Ages	Minimum	Maximum
16-45	\$50,000	\$300,000
46-55	\$50,000	\$200,000
56-65	\$25,000	\$100,000
66-75	\$10,000	\$25,000

Term Lengths - Years

RD Term 5, 10, 15, 20, 30

Note: Answering the above questions, does not guarantee a policy will be approved.

Fidelity Life Rapid Decision Term Premium Class Criteria: Standard or Better, Table B, Table D				
	Select	Standard	Table B	Table D
Non-Nicotine	No nicotine use within the last 24 months.	No nicotine use within the last 12 months	Yes	Yes
Nicotine use	Not available	Available	Available	Available
Cholesterol	Single medication ¹	2 medications ²	2 medications ²	2 medications ²
Blood Pressure	Single medication and stable for six months or more.	2 medications ² or not stable for six months or more.	2 medications ²	2 medications ²
Family History	Up to one death of cancer or heart disease prior to 60.	More than one death from cancer or heart disease prior to 60.	More than one death from cancer or heart disease prior to 60.	More than one death from cancer or heart disease prior to 60.
Moving violations	No more than 3 in the past 5 years	No more than 3 in the past 3 years	No more than 3 in the past 2 years	No more than 3 in the past 2 years
DUI	None in past 5 years.	None in past 3 years.	None in the past 2 years	None in the past 2 years
US Residency	Must have permanent resident status.	Must have permanent resident status.	Must have permanent resident status.	Must have permanent resident status.
Hazardous Occupation/Avocation	None in the past 2 years and none planned.	Available	Available	Available
Foreign Travel ³	None	Available	Available	Available

¹ Combinations of impairments may result in a different rate class or adverse action

² See Pharmacy Guidelines below.

³ No underdeveloped, unstable or hazardous countries

Flat extras are allowed on Aviation, Avocation, Foreign Travel & Occupations

Fidelity Life Rapid Decision Term Pharmacy Guidelines Standard or Better, Table B, Table D		
Medications	Table B	Table D
2 BP and 1 Cholesterol	Yes	Yes
2 Cholesterol and 1 BP	Yes	Yes
3 BP or 3 Cholesterol	Yes	Yes
2 BP & 2 Cholesterol	No	Yes
1 Anx/Dep., 1 BP & 1 Chol.	Yes	Yes
2 Anx/Dep. (no antipsychotic)	Yes	Yes
1 Anx/Dep. & Sleeping Aide	Yes	Yes
2 Asthma (non-steriod)	Yes	Yes
Blood Thinner (Coumadin, Warafin, etc.)	No	IC
Blood Platelet (Plavix)	No	IC
Narcotic (significant/daily/long term)	No	IC

Not Acceptable: medications prescribed by a Psychiatrist

Significant Narcotics include: Fentanyl, Hydrocodone, Methadone, Morphine, Oxycontin, Oxycodone, Percocet, Vicodin, etc. Short term use of Darvocet, Tramadol, Ultracet, NSAIDs are acceptable

Once you have approximately 4 medications for certain impairments (i.e. HTN, Cholesterol, Anxiety, Depression, Asthma, Pain, etc.) we should look at Table D.

Fidelity Life Rapid Decision Term Build Chart*
Standard or Better, Table B, Table D

Height	Inches	Minimum Weight	Select	Standard	Table B	Table D
4' 9	57	76	155	188	193	202
4' 10	58	79	160	195	200	209
4' 11	59	82	165	202	207	216
5' 0	60	84	170	208	214	224
5' 1	61	87	175	216	221	231
5' 2	62	90	180	223	228	239
5' 3	63	93	186	230	236	247
5' 4	64	96	192	237	243	255
5' 5	65	99	198	245	251	263
5' 6	66	102	204	252	259	271
5' 7	67	105	210	260	273	286
5' 8	68	109	216	268	275	288
5' 9	69	112	223	276	283	296
5' 10	70	115	229	284	291	305
5' 11	71	118	236	292	300	314
6' 0	72	122	243	301	308	323
6' 1	73	125	249	309	317	332
6' 2	74	129	256	318	325	341
6' 3	75	132	263	326	334	350
6' 4	76	136	270	335	343	360
6' 5	77	139	277	344	352	369
6' 6	78	143	285	353	362	379
6' 7	79	146	292	362	371	389
6' 8	80	150	300	371	381	399

* Weight is measured in pounds.

BMI—(pounds/(inches²))*703

Where a weight loss is recorded within the past 12 months, one half (½) of the amount lost is added to the current weight before entering the table.

Fidelity Life Rapid Decision Term Rate Class Criteria: Standard or Better, Table B, Table D

Impairment	Criteria	Eligible for Standard	Eligible for Table B	Eligible for Table D
Addison's Disease	Acute Single Episode, over 2 years, no tmnt	NO	YES	YES
	Chronic	NO	YES	YES
AIDS		NO	NO	NO
Alcoholism	After 5 years dry, age 30 years and above	NO	YES @ 50 yrs+	YES
	Less than 5 years dry	NO	NO	NO
Alzheimer's/Dementia		NO	NO	NO
Amputation	Caused by injury, no complications or underlying cause	YES	YES	YES
	Caused by disease	NO	NO	NO
Anemia	Iron Deficiency, B12 deficiency or Folic Acid	YES	YES	YES
	Others	NO	NO	NO
Ankylosing Spondylitis	Mild, no treatment for over 1 year	NO	YES	YES
Anxiety	See Depression			
Aortic Insufficiency or Stenosis		NO	NO	NO
Arteriosclerosis		NO	NO	NO
Arthritis	Osteoarthritis, mild with no disability	YES	YES	YES
	Rheumatoid/Psoriatic - Mild	NO	YES	YES
	Other	NO	NO	NO
Asthma -	Mild or Moderate - Non-Smoker	YES	YES	YES
	<i>Mild—less than weekly, brief exacerbations</i> <i>Moderate—daily symptoms, exacerbations 2x a week</i> Smoker or Severe	NO	NO	NO
Aviation (Private)	Recreation	YES	YES	YES (up to & including \$3/\$1,000)
Blood Pressure	See Hypertension			
Bronchitis	Acute, 1 attack with no history of asthma	YES	YES	YES
	Chronic 1-3 attacks per year, no history of asthma (Mild/Moderate)	Individual Consideration	YES if Mild	YES @ 45 yrs+
Buerger's Disease	No history of gangrene after 2 years	NO	NO	NO
By-Pass Surgery (Cardiac)	<i>See Heart Disease</i>			
Cancer	Basal Cell Carcinoma - skin	YES	YES	YES
	Internal, less than or at 10 years	NO	NO	NO
	Internal, more than 10 years	NO	YES	YES
	Malignant Melanoma, less than or at 10 years	NO	NO	NO
	Malignant Melanoma, more than 10 years	NO	YES	YES
Cerebral Palsy		NO	NO	NO
Chronic Obstructive Lung Disease - COLD		NO	NO	NO
Cirrhosis of Liver		NO	NO	NO
Colitis—Ulcerative	5 years after last attack	NO	YES	YES
	Less than 5 years since last attack	NO	NO	NO
Congestive Heart Failure		NO	NO	NO
Crohn's Disease	Mild/Moderate -2 years since last symptoms and current age at or above 25	NO	YES if Mild 45 yrs+	YES
	Mild/Moderate - Less than 2 years since last symptoms or age at onset less than 25 or current age less than 25	NO	NO	NO
	Severe - all ages	NO	NO	NO

Fidelity Life Rapid Decision Term Rate Class Criteria: Standard or Better, Table B, Table D

Impairment	Criteria	Eligible for Standard	Eligible for Table B	Eligible for Table D
CVA - Stroke		NO	NO	NO
Cystic Fibrosis		NO	NO	NO
Depression	Situational/Mild not treated by Psychiatrist, no anti-psychotic meds	YES	YES	YES
<i>Mild—2 symptoms for minimum of 2 weeks, low dose single medication</i>	Moderate	NO	YES	YES
<i>Moderate—1 or more episodes, never required inpatient care, not disabling or antipsychotics</i>	Major or treated by Psychiatrist	NO	NO	NO
Anxiety	Situational/Mild not treated by Psychiatrist, no anti-psychotic meds	YES	YES	YES
<i>Mild—2 symptoms for minimum of 2 weeks, low dose single medication</i>	Moderate	NO	YES	YES
<i>Moderate—1 or more episodes, never required inpatient care, not disabling or antipsychotics</i>	Major or treated by Psychiatrist	NO	NO	NO
Diabetes-Non Insulin (Type II)	Oral meds or diet controlled ages 30-49, diagnosed less than 20 years ago, good control	NO	NO	YES
<i>Good—A1C 7-9, FBS 111-125</i>	Ages 50+ and under good control	NO	YES	YES
	Ages less than 30	NO	NO	NO
Diabetes - Insulin (Type I)		NO	NO	NO
Driving Hx	Valid, in force, DL with no DWI/DUI w/in 2 years. No more than 2 moving violations w/in 2 years	NO	YES	YES
	Valid, in force, DL with no DWI/DUI w/in 3 years. No more than 3 moving violations w/in 3 years	YES	YES	YES
	No current, in force Driver's license	NO	NO	NO
Duodenitis		NO	YES	YES
Drug Use	After 4 years without use, age 30 yrs and above	NO	IC	YES
	Use within last 4 years	NO	NO	NO
Emphysema		NO	NO	NO
Epilepsy	Petite Mal - partial, absence, focal more than 1 year from onset.	NO	YES	YES
	Grand Mal	NO	NO	NO
Fibrillation		NO	NO	NO
Fibromyalgia	Mild/Moderate-no treatment in over 1 year and no impairments or disability. Mild medications	YES	YES	YES
	Severe or current treatment	NO	NO	NO
Gall Bladder Disorders		YES	YES	YES
Gastric Bypass/Lap Band	After 24 months, weight stablized, no complications	YES	YES	YES
	Other gastric surgeries	NO	YES	YES
Gastritis		YES	YES	YES
Glomerulosclerosis	Acute, after 1 year, no current medication or complications	NO	YES if Mild	YES
	Others	NO	NO	NO
Gout	No underlying alcohol or liver problems	YES	YES	YES
Heart Disease	Heart Attack, Myocardial Infarction, Coronary Artery Disease, Angina, Aneurysm, Irregular heart beat or rhythm	NO	NO	NO
Heart Murmur	Mild-Grade I or II (Innocent) above age 34	NO	YES	YES
	Below age 35 - all murmurs	NO	NO	NO
	Moderate/Severe -Grade III or IV	NO	NO	NO
Hemophelia		NO	NO	NO

Fidelity Life Rapid Decision Term Rate Class Criteria: Standard or Better, Table B, Table D

Impairment	Criteria	Eligible for Standard	Eligible for Table B	Eligible for Table D
Hepatitis	A or Non A/B -recovered more than 6 months	YES	YES	YES
	B or C	NO	NO	NO
Hepatomegaly		NO	NO	NO
Hodgkin's Disease		NO	NO	NO
Hypertension - controlled	No more than 2 medications, controlled	YES	YES	YES
	More than 2 medications, controlled	NO	YES	YES
Hysterectomy (No Cancer)	No history of Cancer	YES	YES	YES
Kidney Disease	Kidney Stones or Infection	YES	YES	YES
	All others	NO	NO	NO
Leukemia		NO	NO	NO
Liver Impairments		NO	NO	NO
Lupus Erythematosus	Discoid - stable-no complications	NO	YES if Mild	YES
Marfan's Syndrome		NO	NO	NO
Meniere's Disease		YES	YES	YES
Mental Retardation	Mild	NO	NO	YES
	Moderate/Severe	NO	NO	NO
Mitral Insufficiency		NO	NO	NO
Mitral Stenosis		NO	NO	NO
Mitral Valve Prolapse - no regurgitation/insufficiency/treatment		YES	YES	YES
Multiple Sclerosis		NO	NO	NO
Muscular Dystrophy		NO	NO	NO
Narcolepsy		NO	NO	NO
Nervous Disorder	See Depression			
Pacemaker		NO	NO	NO
Pancreatitis	Acute Single Attack over 1 year, not current	YES	YES	YES
	Chronic and/or current	NO	NO	NO
Paralysis		NO	NO	NO
Parkinson's Disease	Mild and over age 60	NO	NO	YES
	Moderate and over age 70	NO	NO	YES
<i>Mild—minimal tremor, no rigidity, no treatment</i>	Mild/Moderate under age 60	NO	NO	NO
<i>Moderate—more widespread tremor, slight rigidity and good response to treatment</i>	Severe	NO	NO	NO
Peripheral Vascular Disease		NO	NO	NO
Prostate Disorder	Prostatitis (Infection) Recovered	YES	YES	YES
	BPH, biopsies negative	YES	YES	YES
Rheumatic Fever	One attack more than 6 months ago - fully recovered	NO	NO	YES
Sarcoidosis	Localized -non-pulmonary more than 1 year ago - fully recovered	NO	Individual Consideration	YES
Sleep Apnea	Mild/Moderate age 50 or greater	NO	YES	YES
<i>Mild—AI 5-20 and RDI 10-30;</i> <i>Moderate —AI 21-40 and RDI 31-50</i>	Severe or less than age 50	NO	NO	NO
<i>AI (Apnea Index) - number of episodes of apnea per hour of sleep.</i>				
<i>RDI (Respiratory Disturbance Index) - total number of episodes of both</i>				
Spina Bifida		NO	NO	NO
Spina Bifida Occulta		NO	Individual Consideration	YES

Fidelity Life Rapid Decision Term Rate Class Criteria: Standard or Better, Table B, Table D

Impairment	Criteria	Eligible for Standard	Eligible for Table B	Eligible for Table D
Splenectomy	Trauma Induced only	YES	YES	YES
	Disease Induced	NO	NO	NO
Stroke		NO	NO	NO
Suicide Attempt	1 attempt over 5 years ago	NO	NO	YES
	All others	NO	NO	NO
Thyroid Disorder (not including Hypothyroid)	Recovered more than 6 months	NO	YES	YES
TIA -Transient Ischemic Attack	Single episode over 6 months ago, no complications	NO	NO	YES
	All others	NO	NO	NO
Tuberculosis	Pulmonary - Resolved, no treatment, no residual	NO	YES	YES
	Non-Pulmonary - Diagnosis over 1 year ago. Resolved, no treatment, no residuals	NO	YES	YES
	Atypical	NO	NO	NO
Ulcer (Peptic, Duodenal, Gastric–Benign only)	No bleeding for 6 months	NO	YES	YES
	All others	NO	NO	NO
Vascular Impairments		NO	NO	NO

Rapid Decision Term Table D Underwriting Pharmacy Guidelines for Agents

If medications for these conditions are taken in past 10 yrs, DO NOT TAKE APPLICATION

Abnormal Heart Rhythms
 Addictions—Alcohol or Drug
 Alzheimers, Dementia or Parkinson's
 Angina or Cerebral Vascular Disease
 Anti-Coagulants*
 Anti-Psychotics—Schizophrenia, etc.
 Auto Immune Disorder

 Cancer—Hodgkins & Leukemia
 Chronic Hepatitis
 Congestive Heart Failure or Cardiomyopathy
 COPD—chronic pulmonary disease
 Coronary Artery Disease

 Diabetes—Insulin dependent

 Hyperthyroidism
 HIV or AIDS

 Major Depression—Bipolar, etc.

 Organ Transplants or Valve Replacements

 Peripheral Vascular Disease

 Rheumatoid Arthritis

 Severe Muscle Disorders—Multiple Sclerosis
 Seizure—Grand Mal Disorder

* If long term/continual use, o/w call for details

Acceptable Medications (Okay to submit)

NSAIDs	Antibiotics
Sleep aides (Lunesta, Ambien)	Incontinence
Bone strengtheners	GERD
Hypothyroid	Glaucoma
Birth control	Hormones or ED
Allergies	Muscle relaxers (short term)
HCTZ	

Narcotic Pain Medications (Opiates)

- Short term use in past 5 years with details
- Individual consideration if taken long term or continuously (*Percocet, Vicodin, Oxycotin, Oxycodone, etc.*)

Non-Narcotic Pain Medications

- Okay for short term use
- If taken long term or continuously, need details

Prednisone

- Usually prescribed for allergic disorders, skin conditions, ulcerative colitis, arthritis, lupus, psoriasis or breathing disorders
 - If taken within past 12 months for Asthma—decline
 - If taken within past 5 years, interview for details and if not on regular basis, Standard applies.
 - If taken over 5 years, not continuously, okay Standard
 - If taken for any other impairment, obtain details!

All of the above medications are okay individually, but if taken with other medications or there are underlying conditions, obtain details and/or call Underwriting.

Note: This is only a GUIDE, it is not all-inclusive.

Top Drugs by Prescriptions Dispensed (A-L)

Key: For Underwriting Rapid Decision Term Table D Products

A: Individual medications okay to submit

B: Medications taken within past 10 years, interview for details*

C: Medications we will not accept if taken within past 10 years

* unless adequate details are provided on the app

Drug Name	Key	Common Uses or Type of Drug
Abilify	C	Schizophrenia, Bi Polar
Aciphex	A	GERD
Actonel	B	Osteoarthritis, Paget's
Actoplus Met	B	Diabetes
Actos	B	Diabetes
Adderall XR	B	ADHD
Advair Diskus	B	Asthma, COPD
Aggrenox	C	Stroke
Aldara	A	Topical Cream
Allegra-D	A	Allergies
Allegra-D 24 Hour	A	Allergies
Alphagan P	A	Glaucoma
Altace	B	HTN, CHF
Ambien	A	Sleep aid
Ambien CR	A	Sleep aid
AndroGel	A	Hormone
Apri	A	Contraceptive
Aricept	C	Dementia, Alzheimers
Arimidex	C	Breast Cancer
Armour Thyroid	A	Hypothyroid
Arthrotec	B	Arthritis
Asacol	B	Gastro
Asmanex	B	Asthma
Astelina	A	Sinus
Atacand	B	HTN
Avalide	B	HTN, CHF
Avandamet	B	Diabetes
Avandia	B	Diabetes
Avapro	B	HTN
Avelox	A	Antibiotic
Aviane	A	Contraceptive
Avodart	A	BPH
Bactroban	A	Sinus
Benicar	B	HTN
Benicar HCT	B	HTN
BenzaClin	A	Topical Cream
Boniva	A	Osteoporosis
Budeprion SR	B	Depression
Budeprion XL	B	Depression
Byetta	B	Diabetes
Caduet	B	HTN, cholesterol
Catapres-TTS	B	HTN
Celebrex	B	Osteoarthritis, Rheumatoid
Ceron-DM	A	Sinus
Chantix	B	Smoking cessation
Cialis	A	ED
Ciprodex Otic	A	Antibiotic
Clarinx	A	Allergies
Combivent	C	COPD
Concerta	B	ADHD, Depression, Narcolepsy

Drug Name	Key	Common Uses or Type of Drug
Coreg	B	HTN, CHF
Coreg CR	B	HTN, CHF
Cosopt	A	Glaucoma
Coumadin Tabs	B	Anti-Coagulant
Cozaar	B	HTN, LVH, Diabetic neuropathy
Crestor	B	Cholesterol
Cymbalta	B	Depression, anxiety, neuropathy
Depakote	B	Seizures, Migraines, Bi Polar
Depakote ER	B	Seizures, Migraines, Bi Polar
Detrol LA	A	Incontinence
Differin	A	Topical Cream
Digitek	C	CHF, Chronic Afib
Dilantin Kapseals	B	Seizure
Diovan	B	HTN, CHF
Diovan HCT	B	HTN, CHF
Effexor XR	B	Depression, anxiety
Elidel	A	Topical Cream
Enablex	A	Incontinence
Endocet	B**	Pain
Epipen	A	Allergies
Estrostep Fe	A	Contraceptive
Ethedent	A	Dental
Evista	A	Osteoporosis
Flomax	B	BPH
Flovent HFA	B	Asthma
Fluzone	A	Flu vaccine
Focalin XR	B	ADHD
Fosamax	A	Osteoporosis
Fosamax Plus D	A	Osteoporosis
Geodon Oral	C	Anti-Psych
Glipizide XL	B	Diabetes
Glycolax	A	Constipation
Guaifenesin PSE	A	Sinus
Humalog	C	Diabetes, insulin
Humulin 70/30	C	Diabetes, insulin
Humulin N	C	Diabetes, insulin
Hyzaar	B	HTN
Imitrex Oral	B	Migraines
Jantoven	B	Thrombosis
Januvia	B	Diabetes
Junel FE	A	Contraceptive
Kariva	A	Contraceptive
Keppra	B	Seizures
Klor-Con	B	HTN
Lamictal	B	Seizures
Lanoxin	C	Abnormal Rhythm
Lantus	C	Diabetes, insulin
Lescol XL	B	Cholesterol
Levaquin	A	Antibiotic
Levitra	A	ED

** Interview if short term use, if taken long-term or continuously, decline.

Top Drugs by Prescriptions Dispensed (L-Z)

Key: For Underwriting Rapid Decision Term Table D Products

A: Individual medications okay to submit

B: Medications taken within past 10 years, interview for details*

C: Medications we will not accept if taken within past 10 years

* unless adequate details are provided on the app

Drug Name	Key	Common Uses or Type of Drug
Levora	A	Contraceptive
Levothroid	A	Hypothyroid
Levoxyl	A	Hypothyroid
Lexapro	B	Depression, anxiety
Lidoderm	B	Pain of post herpetic neuralgia
Lipitor	B	Cholesterol
Loestrin 24 Fe	A	Contraceptive
Lotrel	B	HTN
Lovaza	B	Triglycerides
Low-Ogestrel	A	Contraceptive
Lumigan	A	Glaucoma
Lunesta	A	Sleep aid
Lyrica	B	Diabetic neuropathy, neuralgia, seizures, fibromyalgia
Metformin	B*	Diabetes
Methylin	B	ADD, Narcolepsy
Micardis	B	Hypertension
Micardis HCT	B	Hypertension
Mirapex	B	Parkinson's, RLS
M-Oxy	B**	Pain
Namenda	C	Dementia, Alzheimers
Nasacort AQ	A	Allergies
Nasonex	A	Allergies
Necon 0.5/35E	A	Contraceptive
Necon 1/35	A	contraceptive
Nexium	A	GERD
Niaspan	B	Cholesterol
Norvasc	B	HTN, Angina
Novlin 70/30	A	Contraceptive
NovoLog Mix 70/30	C	Diabetes-insulin
NuvaRing	A	Contraceptive
Omnicef	A	Contraceptive
Ortho Evra	A	Contraceptive
Ortho Tri-Cyclen	A	Contraceptive
Ortho Tri-Cyclen Lo	A	Contraceptive
OxyContin	B**	Pain
Patanol	A	Conjunctivitis
Paxil CR	B	Anxiety
Plavix	B	Anti-Coagulant
Premarin Tabs	A	Hormone
Premarin	A	Hormone
Prempro	A	Hormone
Prevacid	A	GERD
Primacare One	A	Prenatal Vitamin
ProAir HFA	B	Asthma
Prometrium	A	Hormone
Propecia	A	Hair Loss
Protonix	A	GERD
Proventil HFA	B	Asthma
Provigil	B	Narcolepsy, sleep problems
Pseudovent 400	A	Sinus

Drug Name	Key	Common Uses or Type of Drug
Pulmicort Respules	B	Asthma
Relpax	B	Migraines
Requip	B	Parkinson's, RLS
Restasis	A	Eye Infection
Rhinocort Aqua	A	Sinus
Risperdal	C	Schizophrenia, Bi Polar
Rozerem	A	Insomnia
Seroquel	C	Schizophrenia, Bi Polar
Singulair	B	Asthma, allergies
Skelaxin	A	Osteoporosis
Spiriva	C	COPD
Sprintec	A	Contraceptive
Strattera	B	ADHD
Suboxone	C	Addiction
Sular	B	HTN
Synthroid	A	Hypothyroid
Tamiflu	A	Flu
Tobradex	A	Glaucoma
Topamax	B	Seizures, Migraines
Toprol XL	B	HTN, Angina, Tach, Migraines
Travatan	A	Glaucoma
Tricor	B	Cholesterol
Trileptal	B	Seizures
Trilyte	A	Colonoscopy prep
Trinessa	A	Contraceptive
Tri-Sprintec	A	Contraceptive
Trivora-28	A	Contraceptive
Tussionex	A	Cough
Ultram ER	B	Pain
Uroxatral	B	BPH
Vagifem	A	Antibiotic
Valtrex	B	Antiviral, herpes
Vesicare	A	Incontinence
Viagra	A	ED
Vigamox	A	Conjunctivitis
Vivelle-DOT	A	Hormone
Vytorin	B	Cholesterol
Wellbutrin XL	B	Depression
Xalatan	A	Glaucoma
Xopenex	B	Asthma, RAD
Xopenex HFA	B	Asthma, RAD
Yasmin 28	A	Contraceptive
Yaz	A	Contraceptive
Zetia	B	Cholesterol
Zoloft	B	Depression
Zovirax Topical	B	Herpes, etc.
Zymar	A	Eye Infection
Zyprexa	C	Schizophrenia, Bi Polar
Zyrtec	A	Allergies
Zyrtec Syrup	A	Allergies
Zyrtec-D	A	Allergies

** Interview if short term use, if taken long-term or continuously, decline.